

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,224,331 B2  
APPLICATION NO. : 10/697278  
DATED : May 29, 2007  
INVENTOR(S) : Shigeki Yabu et al.

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1:

Line 24, "molybdenium" should read --molybdenum--.  
Line 45, "fluerene," should read --fullerene,--.

COLUMN 3:

Line 17, "typed" should read --type--.  
Line 18, "typed" should read --type-- and "flat-typed" should read --flat-type--.  
Line 31, "when" should read --in--.

COLUMN 5:

Line 40, "affection" should read --attraction--.  
Line 44, "fist" should read --first--.

COLUMN 7:

Line 46, "fist" should read --first--.  
Line 56, "normally-on-typed" should read --normally-on-type--.

COLUMN 8:

Line 15, "stripe" should read --striped--.

COLUMN 9:

Line 22, "an" should be deleted.  
Line 23, "enough" should read --sufficient--.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,224,331 B2  
APPLICATION NO. : 10/697278  
DATED : May 29, 2007  
INVENTOR(S) : Shigeki Yabu et al.

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 11:

Line 21, "hysteresis It" should read --hysteresis, it--.  
Line 23, "generate" should read --generates--.  
Line 31, "control" should read --controlling--.

COLUMN 12:

Line 1, "detailed" should read --detail--.  
Line 8, "panes" should read --panel--.

COLUMN 17:

Line 23, "20020475139," should read --2002/047513,--.  
Line 25, "2,002,074,947" should read --2002/074947--.  
Line 39, "form" should read --from--.

COLUMN 18:

Line 2, "810  $\mu\text{m}$ ." should read --Ö10  $\mu\text{m}$ --.

COLUMN 19:

Line 22, "purposing" should read --supposing--.

COLUMN 20:

Line 20, "provide" should be deleted.

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 7,224,331 B2  
APPLICATION NO. : 10/697278  
DATED : May 29, 2007  
INVENTOR(S) : Shigeki Yabu et al.

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 22:


Line 63, "cathode," should read --cathodes,--.

COLUMN 24:

Line 29, "between" should read --between said cathodes--.

Signed and Sealed this

Twenty-first Day of October, 2008

A handwritten signature in black ink, appearing to read "Jon W. Dudas". The signature is stylized with a large, looped initial "J" and a distinct "D".

JON W. DUDAS  
*Director of the United States Patent and Trademark Office*